

MODEL 907



Calender for finishing and ironing tubular knitted fabric

- Version **E**: Oil heated cylinders can be used for ALL FIBERS (naturals, synthetics, mixed and elastics). It can also heatset the 100% synthetic fabric (polyester, etc.)
- Version **V**: Steam heated cylinders normally used only for natural fibers

Machine produced according to CE rules.

Customs tariff: 84 51 30 30

Technical Data:

907E-2400

Cylinder width	2.600 mm (102,36")
Cylinder diameter	350 mm (13,78")
Working width	2.400 mm (94,49")
Mechanic Speed	1 – 35 m/min
Compressed air pressure	6-8 bar
Average steam consumption of steaming chamber	50 – 70 Kg/h
Overall dimensions	3.900 x 2.150 x 2.370 mm 153,54" x 84,65" x 93,31"
Net weight	6.500 Kg
Installed power	64,0 Kw/h
Average electrical consumption	57,0 Kw/h

907V-2400

Cylinder width	2.600 mm (102,36")
Cylinder diameter	350 mm (13,78")
Working width	2.400 mm (94,49")
Mechanic Speed	1 – 35 m/min
Compressed air pressure	6-8 bar
Average steam consumption of steaming chamber	50 – 70 Kg/h
Overall dimensions	200 – 250 Kg/h
Net weight	3.900 x 2.150 x 2.370 mm 153,54" x 84,65" x 93,31"
Installed power	6.200 Kg
Average electrical consumption	18,0 Kw/h
Cylinder width	12,0 Kw/h

Both cylinders are chrome plated and refined with a mirror effect

The PDF catalogue of this machine is available on request to info@montiantonio.com

All data and technical features are purely indicative and subjected to changes without prior notice.

